Ref Hits Search Query DBs **Plurals** Time Stamp Default # Operator L1 725 (compar\$4 or match\$4) with (return\$4 **US-PGPUB**; OR ON 2004/11/22 11:33 adj value\$1) USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB L2 10181 (valid\$4 or invalid\$4) near3 (list\$4 or **US-PGPUB**; OR ON 2004/11/22 11:12 table\$1 or matrix) USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB L3 1 with 2 US-PGPUB; OR ON 2004/11/22 11:13 USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB L4 8 1 same 2 US-PGPUB; OR ON 2004/11/22 11:13 USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB L5 1614 (compar\$4 or match\$4) with (return\$4 **US-PGPUB**; OR ON 2004/11/22 11:37 adj (data or variable\$1 or information USPAT; or value\$1)) USOCR; EPO; JPO; DERWENT; IBM_TDB L6 9 5 same 2 US-PGPUB; OR ON 2004/11/22 11:55 USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB **L7** 27247 (check\$4 or track\$4 or monitor\$4) **US-PGPUB**; OR ON 2004/11/22 12:35 near5 (valid\$4 or invalid\$4) USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB **L8** 141 7 with ((error\$4 or fault\$4 or fail\$4 or US-PGPUB; OR ON 2004/11/22 13:44 problem or malfunction) adj USPAT; message\$1) USOCR; EPO; JPO; DERWENT; IBM_TDB

Ipdated S

	T			I		
L9	28	8 same input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2004/11/22 13:12
L10	0	8 and (dependent adj variable\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:15
L11	2	8 and (input adj file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:20
L12	9	8 and ("714"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:38
L13	34	8 and (71\$/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:42
L14	0	13 and ("VALID/INVALID")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:41
L15	129	2 and ("VALID/INVALID")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:41
L16	80	15 and (7\$/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:42

L17	7	16 and ((error\$4 or fault\$4 or fail\$4 or problem or malfunction) adj message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:56
L18	10	15 and ((error\$4 or fault\$4 or fail\$4 or problem or malfunction) adj message\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:58
L19	3	18 not 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:58

į